


### MATERIAL SAFETY DATA SHEET (MSDS)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product form	: Substance
	:
EC index no	: 603-028-00-7
EC no	: 203-459-7
CAS No	: 107-07-3
Product code	: 00074
Chemical structure	: 
Synonyms	: Ethylene chlorohydrin

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

###### 1.2.2. Uses advised against

No additional information available

##### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

##### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 1	H300
Acute toxicity (dermal), Category 1	H310
Acute toxicity (inhal.), Category 2	H330

Full text of classification categories and H statements : see section 16

# 2-CHLOROETHANOL AR

## Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

T+; R26/27/28

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS06

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour  
H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray  
P264 - Wash ... thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P284 - [In case of inadequate ventilation] wear respiratory protection  
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : 2-CHLOROETHANOL AR  
CAS No : 107-07-3  
EC no : 203-459-7  
EC index no : 603-028-00-7

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

# 2-CHLOROETHANOL AR

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Fatal if inhaled.
- Symptoms/injuries after skin contact : Fatal in contact with skin.
- Symptoms/injuries after ingestion : Fatal if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash ... thoroughly after handling. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

# 2-CHLOROETHANOL AR

## Safety Data Sheet

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 80.51 g/mol
Colour	: Clear Colorless.
Odour	: sweet pleasant.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -89 °C
Freezing point	: No data available
Boiling point	: 129 °C
Flash point	: 55 °C
Auto-ignition temperature	: 425 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 7 hPa at 20 °C
Relative vapour density at 20 °C	: 2.78
Relative density	: No data available
Density	: 1.2 g/cm <sup>3</sup>
Solubility	: Water: Easily soluble in cold water
Log Pow	: No data available

# 2-CHLOROETHANOL AR

## Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.05 - 0.16 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Flammable liquid and vapour.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if inhaled.

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

# 2-CHLOROETHANOL AR

## Safety Data Sheet

Potential adverse human health effects and symptoms : Fatal if swallowed. Fatal in contact with skin.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...  
Ecology - waste materials : Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1135  
UN-No. (IMDG) : 1135  
UN-No.(IATA) : 1135  
UN-No.(ADN) : 1135  
UN-No. (RID) : 1135

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHYLENE CHLOROHYDRIN  
Proper Shipping Name (IMDG) : ETHYLENE CHLOROHYDRIN  
Proper Shipping Name (IATA) : ETHYLENE CHLOROHYDRIN  
Proper Shipping Name (ADN) : ETHYLENE CHLOROHYDRIN  
Proper Shipping Name (RID) : ETHYLENE CHLOROHYDRIN  
Transport document description (ADR) : UN 1135 ETHYLENE CHLOROHYDRIN, 6.1 (3), I, (C/D)  
Transport document description (IMDG) : UN 1135 ETHYLENE CHLOROHYDRIN, 6.1 (3), I (60°C o.c.)

# 2-CHLOROETHANOL AR

## Safety Data Sheet

Transport document description (IATA) : UN 1135 ETHYLENE CHLOROHYDRIN, 6.1  
Transport document description (ADN) : UN 1135 ETHYLENE CHLOROHYDRIN, 6.1 (3), I  
Transport document description (RID) : UN 1135 ETHYLENE CHLOROHYDRIN, 6.1 (3), I

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 6.1 (3)  
Danger labels (ADR) : 6.1, 3



#### IMDG

Transport hazard class(es) (IMDG) : 6.1 (3)  
Danger labels (IMDG) : 6.1, 3



#### IATA

Transport hazard class(es) (IATA) : 6.1 (3)

#### ADN

Transport hazard class(es) (ADN) : 6.1 (3)  
Danger labels (ADN) : 6.1, 3



#### RID

Transport hazard class(es) (RID) : 6.1 (3)  
Danger labels (RID) : 6.1, 3



### 14.4. Packing group

Packing group (ADR) : I  
Packing group (IMDG) : I  
Packing group (IATA) : Not applicable  
Packing group (ADN) : I  
Packing group (RID) : I

### 14.5. Environmental hazards

Dangerous for the environment : No

# 2-CHLOROETHANOL AR

## Safety Data Sheet

Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : TF1  
Special provision (ADR) : 354  
Limited quantities (ADR) : 0  
Excepted quantities (ADR) : E0  
Packing instructions (ADR) : P602  
Mixed packing provisions (ADR) : MP8, MP17  
Portable tank and bulk container instructions (ADR) : T20  
Portable tank and bulk container special provisions (ADR) : TP2, TP37  
Tank code (ADR) : L10CH  
Tank special provisions (ADR) : TU14, TU15, TE19, TE21  
Vehicle for tank carriage : FL  
Transport category (ADR) : 1  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV1, CV13, CV28  
Special provisions for carriage - Operation (ADR) : S2, S9, S14  
Hazard identification number (Kemler No.) : 663  
Orange plates :



Tunnel restriction code (ADR) : C/D  
EAC code : •2W  
APP code : A(fl)

#### - Transport by sea

Special provision (IMDG) : 354  
Limited quantities (IMDG) : 0  
Excepted quantities (IMDG) : E0  
Packing instructions (IMDG) : P602  
Tank instructions (IMDG) : T20  
Tank special provisions (IMDG) : TP2, TP13, TP37  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D  
Stowage category (IMDG) : D  
Stowage and handling (IMDG) : SW2  
Flash point (IMDG) : 60°C o.c.  
MFAG-No : 131

#### - Air transport

PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : Forbidden  
PCA max net quantity (IATA) : Forbidden  
CAO packing instructions (IATA) : Forbidden  
CAO max net quantity (IATA) : Forbidden



# 2-CHLOROETHANOL AR

## Safety Data Sheet

ERG code (IATA)	: 6F
<b>- Inland waterway transport</b>	
Classification code (ADN)	: TF1
Special provisions (ADN)	: 354, 802
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Number of blue cones/lights (ADN)	: 2

### - Rail transport

Classification code (RID)	: TF1
Special provision (RID)	: 354
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P602
Mixed packing provisions (RID)	: MP8, MP17
Portable tank and bulk container instructions (RID)	: T20
Portable tank and bulk container special provisions (RID)	: TP2, TP37
Tank codes for RID tanks (RID)	: L10CH
Special provisions for RID tanks (RID)	: TU14, TU15, TU38, TE21, TE22
Transport category (RID)	: 1
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28, CW31
Hazard identification number (RID)	: 663

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

2-CHLOROETHANOL AR is not on the REACH Candidate List

2-CHLOROETHANOL AR is not on the REACH Annex XIV List

#### 15.1.2. National regulations

##### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 229)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

# 2-CHLOROETHANOL AR

## Safety Data Sheet

### Denmark

Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	: R10 <H226;H300+H310+H330>; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
T+	Very toxic

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*