CAS-No.: 110-87-2 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking


1.1. Product identifier

Product form : Substance

:

EC-No. : 203-810-4
CAS-No. : 110-87-2
Product code : 03341
Formula : C5H8O

Chemical structure



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

11220

Skin corrosion/irritation,

H315

Category 2

Serious eye damage/eye H319

irritation, Category 2

www.Labogens.com 31/05/2016 1/11

Safety Data Sheet

Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F: R11

Xi; R36/37/38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02 GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 - Avoid breathing dust, fume, gas, spray, vapours.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
3,4-DIHYDRO-2H-PYRAN FOR SYNTHESIS	(CAS-No.) 110-87-2 (EC-No.) 203-810-4	100

Full text of R- and H-statements: see section 16

www.Labogens.com 31/05/2016 2/11

Safety Data Sheet

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell,

seek medical advice.

First-aid measures after skin contact : Wash with plenty of water/.... Remove affected clothing and wash all exposed skin

area with mild soap and water, followed by warm water rinse. Get immediate medical

advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a POISON CENTER/doctor if you feel

unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Water spray. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. No open flames. No smoking. Use special care to avoid

static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

www.Labogens.com 31/05/2016 3/11

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Keep away from sources

of ignition - No smoking. Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use

explosion-proof electrical/ventilating/lighting equipment.

Storage conditions : Keep container tightly closed. Keep in fireproof place.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 84.12 g/mol Colour : Colourless.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -70 °C

Freezing point : No data available

www.Labogens.com 31/05/2016 4/11

Safety Data Sheet

Boiling point : 86 K

Flash point : -16 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour.

Vapour pressure : No data available

Relative vapour density at 20 °C : 2.9

Relative density : No data available

Density : 0.922 g/ml

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 13.8 - 1.1 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

www.Labogens.com 31/05/2016 5/11

Safety Data Sheet

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2376 UN-No. (IMDG) : 2376

www.Labogens.com 31/05/2016 6/11

Safety Data Sheet

UN-No. (IATA) : 2376 UN-No. (ADN) : 2376 UN-No. (RID) : 2376

14.2. UN proper shipping name

Proper Shipping Name (ADR) : 2,3-DIHYDROPYRAN
Proper Shipping Name (IMDG) : 2,3-DIHYDROPYRAN
Proper Shipping Name (IATA) : 2,3-Dihydropyran
Proper Shipping Name (ADN) : 2,3-DIHYDROPYRAN
Proper Shipping Name (RID) : 2,3-DIHYDROPYRAN

Transport document description (ADR) : UN 2376 2,3-DIHYDROPYRAN, 3, II, (D/E)
Transport document description (IMDG) : UN 2376 2,3-DIHYDROPYRAN, 3, II (-16°C c.c.)

Transport document description (IATA) : UN 2376 2,3-Dihydropyran, 3, II

Transport document description (ADN) : UN 2376 2,3-DIHYDROPYRAN, 3, II

Transport document description (RID) : UN 2376 2,3-DIHYDROPYRAN, 3, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3 Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



www.Labogens.com 31/05/2016 7/11

Safety Data Sheet

RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

: TP1

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates :

33 2376

Tunnel restriction code (ADR) : D/E EAC code : •2YE

- Transport by sea

Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : B : -16°C c.c. Flash point (IMDG)

www.Labogens.com 31/05/2016 8/11

Safety Data Sheet

Properties and observations (IMDG) : Colourless, volatile liquid with an ethereal odour. Flashpoint: -16°C c.c. Miscible with

water.

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 : 1L

PCA limited quantity max net quantity

(IATA)

PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L : 364 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L ERG code (IATA) : 3H

- Inland waterway transport

Classification code (ADN) : F1 Limited quantities (ADN) : 11 Excepted quantities (ADN) : E2 Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1 Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 2 Colis express (express parcels) (RID) : CE7 Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP1

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

3.4-DIHYDRO-2H-PYRAN FOR SYNTHESIS is not on the REACH Candidate List

3.4-DIHYDRO-2H-PYRAN FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

31/05/2016 9/11 www.Labogens.com

Safety Data Sheet

Germany

Reference to AwSV : Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV;

ID No. 8907)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

Vruchtbaarheid

oortplanting giftige stoffen –

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

Denmark

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F+ <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

: The substance is not listed

: The substance is not listed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Tall toxt of it, it and both states	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
R11	Highly flammable
R36/37/38	Irritating to eyes, respiratory system and skin
F	Highly flammable
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 31/05/2016 10/11

3,4-DIHYDRO-2H-PYRAN FOR SYNTHESIS Safety Data Sheet

31/05/2016 11/11 www.Labogens.com