## CALCIUM CARBIDE EXTRA PURE MSDS

CAS-No.: 75-20-7 MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

 EC Index-No.
 : 006-004-00-9

 EC-No.
 : 200-848-3

 CAS-No.
 : 75-20-7

 Product code
 : 2460F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Substances and Mixtures H260 which, in contact with water, emit flammable gases, Category 1

Full text of H statements : see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R15

Full text of R-phrases: see section 16

www.Labogens.com 07/05/2019 1/10

## Safety Data Sheet

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H260 - In contact with water releases flammable gases which may ignite

spontaneously.

Precautionary statements (CLP) : P223 - Do not allow contact with water.

P231+P232 - Handle under inert gas. Protect from moisture.

P370+P378 - In case of fire: Use media other than water to extinguish.

P422 - Store contents under inert gas

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : CALCIUM CARBIDE Extra Pure

CAS-No. : 75-20-7 EC-No. : 200-848-3 EC Index-No. : 006-004-00-9

Full text of R- and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Get medical advice/attention. Wash with plenty of water/....

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several

minutes. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

www.Labogens.com 07/05/2019 2/10

## Safety Data Sheet

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry powder.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Protection during firefighting : [

: Do not enter fire area without proper protective equipment, including respiratory

protection.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids,

such as clay or diatomaceous earth as soon as possible.

## 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Do not allow contact with water.

Precautions for safe handling : Protect from moisture. Handle under inert gas.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place. Protect from moisture.

Incompatible materials : Do not allow contact with water.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

www.Labogens.com 07/05/2019 3/10

## Safety Data Sheet

### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 64.1 g/mol

Colour : Greyish black lumps.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 2300 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : In contact with water releases flammable gases which may ignite spontaneously.

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 2.22 g/cm<sup>3</sup>

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

## 9.2. Other information

No additional information available

www.Labogens.com 07/05/2019 4/10

## Safety Data Sheet

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously.

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Moisture.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

www.Labogens.com 07/05/2019 5/10

## Safety Data Sheet

#### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1402 UN-No. (IMDG) : 1402 UN-No. (IATA) : 1402 UN-No. (ADN) : 1402 UN-No. (RID) : 1402

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CALCIUM CARBIDE
Proper Shipping Name (IMDG) : CALCIUM CARBIDE
Proper Shipping Name (IATA) : Calcium carbide
Proper Shipping Name (ADN) : CALCIUM CARBIDE
Proper Shipping Name (RID) : CALCIUM CARBIDE

Transport document description (ADR)

: UN 1402 CALCIUM CARBIDE, 4.3, I, (B/E)
Transport document description (IMDG)

: UN 1402 CALCIUM CARBIDE, 4.3, I

## 14.3. Transport hazard class(es)

## ADR

Transport hazard class(es) (ADR) : 4.3 Danger labels (ADR) : 4.3



#### **IMDG**

www.Labogens.com 07/05/2019 6/10

## Safety Data Sheet

Transport hazard class(es) (IMDG) : 4.3 Danger labels (IMDG) : 4.3

:



### **IATA**

Transport hazard class(es) (IATA) : 4.3 Hazard labels (IATA) : 4.3

:



#### **ADN**

Transport hazard class(es) (ADN) : 4.3 Danger labels (ADN) : 4.3

:



## RID

Transport hazard class(es) (RID) : 4.3 Danger labels (RID) : 4.3

:



## 14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : W2
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0

www.Labogens.com 07/05/2019 7/10

## Safety Data Sheet

Packing instructions (ADR) : P403, IBC04

Mixed packing provisions (ADR) : MP2
Portable tank and bulk container : T9

instructions (ADR)

Portable tank and bulk container special : TP7, TP33

provisions (ADR)

Tank code (ADR) : S2.65AN(+)

Tank special provisions (ADR) : TU4, TU22, TM2, TA5

Vehicle for tank carriage : AT
Transport category (ADR) : 1
Special provisions for carriage - Packages : V1

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV23

Special provisions for carriage - Operation : S20

(ADR)

Hazard identification number (Kemler No.) : X423

Orange plates

X423

Tunnel restriction code (ADR) : B/E EAC code : 4W

- Transport by sea

Special provisions (IMDG) : 951 Limited quantities (IMDG) : 0 : E0 Excepted quantities (IMDG) Packing instructions (IMDG) : P403 Special packing provisions (IMDG) : PP31 IBC packing instructions (IMDG) : IBC04 IBC special provisions (IMDG) : B1 Tank instructions (IMDG) : BK2 : F-G EmS-No. (Fire) : S-N EmS-No. (Spillage) Stowage category (IMDG) : B Stowage and handling (IMDG) : H1

Segregation (IMDG) : SG35, SG26

Properties and observations (IMDG) : Solid. In contact with water, rapidly evolves acetylene, a highly flammable gas, which

may be ignited by the heat of the reaction. Acetylene forms highly explosive

compounds with salts of some heavy metals. Reacts violently with acids.

MFAG-No : 138

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : Forbidden PCA max net quantity (IATA) : Forbidden CAO packing instructions (IATA) : 487

CAO max net quantity (IATA) : 15kg ERG code (IATA) : 4W

- Inland waterway transport

Classification code (ADN) : W2 Limited quantities (ADN) : 0

www.Labogens.com 07/05/2019 8/10

## Safety Data Sheet

Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Provisions for handling and stowage of the : HA08

cargo (ADN)

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : W2
Limited quantities (RID) : 0
Excepted quantities (RID) : E0

Packing instructions (RID) : P403, IBC04

Mixed packing provisions (RID) : MP2
Portable tank and bulk container : T9

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP7, TP33

Tank codes for RID tanks (RID) : S2.65AN(+)

Special provisions for RID tanks (RID) : TU4, TU22, TM2, TA5

Transport category (RID) : 1
Special provisions for carriage – Packages : W1

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW23

Hazard identification number (RID) : X423

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CALCIUM CARBIDE Extra Pure is not on the REACH Candidate List CALCIUM CARBIDE Extra Pure is not on the REACH Annex XIV List

#### 15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to

AwSV; ID No. 791)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed

www.Labogens.com 07/05/2019 9/10

## Safety Data Sheet

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Borstvoeding

: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

## **Chemical safety assessment**

No additional information available

#### **SECTION 16: Other information**

## Full text of R-, H- and EUH-statements:

Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
H260	In contact with water releases flammable gases which may ignite spontaneously.
R15	Contact with water liberates extremely flammable gases
F	Highly flammable

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/10 07/05/2019 www.Labogens.com