GIEMSA'S STAINING SOLUTION FOR MICROSCOPY MSDS

CAS No: MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Trade name : Giemsa's Staining Solution for Microscopy

Product code : 03941

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

: Industrial Industrial/Professional use spec

For professional use only

Use of the substance/mixture : Industrial. For professional use only.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

Emergency telephone number

: +91 7707855700 (9:00am - 6:00 pm) **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flammable liquids, Category 2 Acute toxicity (oral), H301 Category 3 Acute toxicity (dermal), H311 Category 3 H331 Acute toxicity (inhal.),

Category 3

Specific target organ H370

toxicity — single exposure, Category 1

Full text of classification categories and H statements : see section 16

06/10/2017 1/12 www.Labogens.com Version: 1

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS06

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H370 - Causes damage to organs

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof equipment

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash ... thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing

P308+P311 - IF exposed or concerned: Call a POISON CENTER/doctor/...

P311 - Call a POISON CENTER/doctor/...

P321 - Specific treatment (see ... on this label)

P330 - Rinse mouth

P361+P364 - Take off immediately all contaminated clothing and wash it before

P370+P378 - In case of fire: Use ... to extinguish

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to {0|message=<specify in accordance with local/regional/national/international regulations>|default=hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation|filter=()?DISPOSAL .+}

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

06/10/2017 2/12 www.Labogens.com Version: 1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	50 - 75	Flam. Liq. 2, H225 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
1,2,3-Propanetriol(glycerin)	(CAS No) 56-81-5 (EC no) 200-289-5	50 - 75	Not classified
GIEMSA'S STAIN	(CAS No) 51811-82-6	0.01 - 1	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302 Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek
	modical advice (show the label where possible). Call a POISON CENTER or

medical advice (show the label where possible). Call a POISON CENTER or

doctor/physician. Specific treatment (see ... on this label).

First-aid measures after inhalation : Get medical advice/attention. Remove victim to fresh air a

: Get medical advice/attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact

Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap and water. Specific measures (see ... on this label). Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Get medical advice/attention. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see ... on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes damage to organs.

Symptoms/injuries after inhalation

: Toxic if inhaled.

Symptoms/injuries after skin contact

: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion

: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

www.Labogens.com Version: 1 06/10/2017 3/12

Safety Data Sheet

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when

fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. No naked lights. No smoking. Use special care to avoid

static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. Equip cleanup crew with proper

protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible. Store

away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No naked lights. No smoking. Use only non-sparking tools. Do not breathe

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Keep container tightly closed. Keep in fireproof place. Keep only in the original

container in a cool, well ventilated place away from :

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

www.Labogens.com Version: 1 06/10/2017 4/12

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Protective gloves. Wear protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available.

Odour : characteristic.

Odour threshold : No data available

pH : 7

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 17.9 °C

Freezing point : No data available

Boiling point : 64.5 °C

Flash point : 12 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour

Vapour pressure : 97.68 mm Hg at20° C)

Relative vapour density at 20 °C : 2.37

Relative density : No data available

Density : 1.04 g/cm³

Solubility : Water: Easily soluble in cold water

Log Pow : No data available

www.Labogens.com Version: 1 06/10/2017 5/12

Safety Data Sheet

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : 6 - 36.5 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Highly flammable liquid and vapour.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Heat. Sparks. Overheating. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicologic	cal effects
----------------------------------	-------------

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if
	inhaled.

ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h

Skin corrosion/irritation : Not classified

pH: 7

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

pH: 7

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

www.Labogens.com Version: 1 06/10/2017 6/12

Safety Data Sheet

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Specific target organ toxicity (single

exposure)

: Causes damage to organs.

Specific target organ toxicity (repeated

exposure)

Additional information

: Not classified

: Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Giemsa's Staining Solution for Microscopy

Persistence and degradability Not established.

12.3. Bioaccumulative potential

Giemsa's Staining Solution for Microscopy

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to ...

Additional information

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials

: Avoid release to the environment. Hazardous waste due to toxicity.

www.Labogens.com Version: 1 06/10/2017 7/12

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1230 UN-No. (IMDG) : 1230 UN-No.(IATA) : 1230 UN-No.(ADN) : 1230 UN-No. (RID) : 1230

14.2. UN proper shipping name

Proper Shipping Name (ADR) : METHANOL
Proper Shipping Name (IMDG) : METHANOL
Proper Shipping Name (IATA) : METHANOL
Proper Shipping Name (ADN) : METHANOL
Proper Shipping Name (RID) : METHANOL

Transport document description (ADR) : UN 1230 METHANOL, 3 (6.1), II, (D/E)
Transport document description (IMDG) : UN 1230 METHANOL, 3 (6.1), II (12°C c.c.)

Transport document description (IATA) : UN 1230 METHANOL, 3 (6.1), II
Transport document description (ADN) : UN 1230 METHANOL, 3 (6.1), II
Transport document description (RID) : UN 1230 METHANOL, 3 (6.1), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (6.1)

Danger labels (ADR) : 3, 6.1



IMDG

Transport hazard class(es) (IMDG) : 3 (6.1)
Danger labels (IMDG) : 3, 6.1



IATA

Transport hazard class(es) (IATA) : 3 (6.1) Hazard labels (IATA) : 3, 6.1



ADN

Transport hazard class(es) (ADN) : 3 (6.1)

www.Labogens.com Version: 1 06/10/2017 8/12

Safety Data Sheet

Danger labels (ADN) : 3, 6.1



RID

Transport hazard class(es) (RID) : 3 (6.1)

Danger labels (RID) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : FT1
Special provision (ADR) : 279
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15
Vehicle for tank carriage : FL
Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

Special provisions for carriage - Operation : S2, S19

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

: S2, S19

: CV13, CV28

336 1230

www.Labogens.com Version: 1 06/10/2017 9/12

Safety Data Sheet

Tunnel restriction code (ADR)	: D/E
EAC code	: •2WE
APP code	: A(fl)

- Transport by sea

: 279 Special provision (IMDG) Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 EmS-No. (Fire) : F-E : S-D EmS-No. (Spillage) : B Stowage category (IMDG) Stowage and handling (IMDG) : SW2 Flash point (IMDG) : 12°C c.c. MFAG-No : 131

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L

Special provision (IATA) : A104, A113

ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : FT1
Special provisions (ADN) : 279, 802
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : FT1
Special provision (RID) : 279
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP2

Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

www.Labogens.com Version: 1 06/10/2017 10/12

Safety Data Sheet

Special provisions for carriage – Loading : CW13, CW28

and unloading (RID)

Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 336

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to AwSV,

Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixturejs, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

www.Labogens.com Version: 1 06/10/2017 11/12

Safety Data Sheet

Full text of H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H318	Causes serious eye damage
H331	Toxic if inhaled
H370	Causes damage to organs
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 06/10/2017 12/12