

CAS No: MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identificat	tion of the substance/mixture and of the company/undertaking
1.1. Product identi	ifier
Product form	: Mixture
Product code	: 04021
4.2 Delevent ident	
	tified uses of the substance or mixture and uses advised against
1.2.1. Relevant ident Use of the substance/mi	
1.2.2. Uses advised	against
No additional information	-
4.0 Details of the	
1.3. Details of the s Labogens Fine Chem In	supplier of the safety data sheet
	of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)	
+91 931677775, +91 7 sales@labogens.com -	
<u>odioc@idbogonic.com</u>	
1.4. Emergency tel	lephone number
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)
SECTION 2: Hazards ic	dentification
	of the substance or mixture
Classification accordin	ng to Regulation (EC) No. 1272/2008 [CLP]
Flammable liquids,	H226
Category 3 Acute toxicity (oral),	H302
Category 4	
Specific target organ toxicity — single	H370
exposure, Category 1	
	estagation and U statements , see costion 10
Full text of classification	categories and H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

Labelling according to Regulation (EC) Hazard pictograms (CLP)	No. 1272/2008 [CLP]
	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H226 - Flammable liquid and vapour H302 - Harmful if swallowed H370 - Causes damage to organs
Precautionary statements (CLP)	 P260 - Do not breathe dust/fume/gas/mist/vapours/spray P307+P311 - IF exposed: Call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

```
3.2. Mixture
```

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2,3-Propanetriol(glycerin)	(CAS No) 56-81-5 (EC no) 200-289-5	25 - 35	Not classified
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	5 - 10	Flam. Liq. 3, H226 Skin Corr. 1A, H314
ALUMINIUM AMMONIUM SULPHATE (DODECAHYDRATE) EXTRA	(CAS No) 7784-26-1	1 - 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335
HEMATOXYLIN STAIN `Certified` C.I.No.75290	(CAS No) 517-28-2	0.01 - 1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335
MERCURIC OXIDE RED EXTRA PURE 99%	(CAS No) 21908-53-2	0.01 - 1	Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 1 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measure	S
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	: Get medical advice/attention. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries	: Causes damage to organs through prolonged or repeated exposure.
Symptoms/injuries after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate me	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
E.4. Easting and a big as we will a	
5.1. Extinguishing media	Weter energy Franz Dramouder Orthan disside
Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Extremely flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
•	
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	9S
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked
General measures	lights. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	 Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
6.1.2. For emergency responders Protective equipment Emergency procedures	: Use personal protective equipment as required.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	: Use personal protective equipment as required.
6.1.2. For emergency responders Protective equipment Emergency procedures	: Use personal protective equipment as required.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	Use personal protective equipment as required.Ventilate area.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment.	Use personal protective equipment as required.Ventilate area.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contact 	 : Use personal protective equipment as required. : Ventilate area.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for conta Methods for cleaning up 	 : Use personal protective equipment as required. : Ventilate area.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for conta Methods for cleaning up 6.4. Reference to other sections	 : Use personal protective equipment as required. : Ventilate area.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for conta Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage	 : Use personal protective equipment as required. : Ventilate area.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for conta Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling	 Use personal protective equipment as required. Ventilate area. inment and cleaning up Collect spillage. On land, sweep or shovel into suitable containers.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for conta Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage	 : Use personal protective equipment as required. : Ventilate area.

Safety Data Sheet

Precautions for safe handling	 No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures	: Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. Comply with applicable regulations.
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/pe	ersonal protection
8.1. Control parameters	

No additional information available

: Protective gloves
: Chemical goggles or face shield
: Wear suitable protective clothing
: Wear respiratory protection
erties
nd chemical properties
: Liquid
: Dark red.
: odourless.
: No data available

: No data available
: No data available
: 42 °C
: No data available
: No data available
: Extremely flammable liquid and vapour

Safety Data Sheet

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density Solubility	: 1.038 g/cm³ at 20°C : No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Sparks. Heat. Direct sunlight. Overheating. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

SECTION IT. TOXICOlogical Informa			
11.1. Information on toxicologica	al effects		
Acute toxicity	: Oral: Harmful if swallowed.		
ATE CLP (oral)	500 mg/kg bodyweight		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
www.Labogons.com	Version: 1	23/06/2016	5/10

Safety Data Sheet

,	
Specific target organ toxicity (single exposure)	: Causes damage to organs.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful in contact with skin. Toxic if swallowed.
SECTION 12: Ecological information	

12.1.	Toxicity	
Ecology	y - water	: Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability	
HAEMATOXYLIN (DELAFIELD'S) FOR M	ICROSCOPICAL STAINING
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assess	mont
No additional information available	nent
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
SECTION 13. Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
	: Handle empty containers with care because residual vapours are flammable.
	: Hazardous waste due to toxicity.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA	/ ADN
44.4 Libi sumbor	

14.1. UN number		
UN-No. (ADR)	: 1993	
UN-No. (IMDG)	: 1993	

Safety Data Sheet

UN-No.(IATA)	: 1993
UN-No.(ADN)	: Not regulated
UN-No. (RID)	: Not regulated

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated
Transport document description (ADR)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E)
Transport document description (IMDG)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III
Transport document description (IATA)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

14.3.	Transport hazard class(es)
ADR	

Transport hazard class(es) (ADR)	
Danger labels (ADR)	



: 3 : 3

: 3 : 3

: 3 : 3

IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	



ΙΑΤΑ

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	



Not regulated

ADN

Transport hazard class(es) (ADN)	:

Transport hazard class(es) (RID)

RID

: Not regulated

14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
Packing group (ADN)	: Not regulated

Safety Data Sheet

Packing group (RID)	: Not regulated
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	

- Overland transport Classification code (ADR) : F1 Special provision (ADR) : 274, 601, 640E Limited quantities (ADR) : 5L Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container : T4 instructions (ADR) Portable tank and bulk container special : TP1, TP29 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates 30 1993 : D/E Tunnel restriction code (ADR) EAC code : •3YE

- Transport by sea

Special provision (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
MFAG-No	: 127;128
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
www.Labogens.com	Version: 1

Safety Data Sheet

CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3
ERG code (IATA)	: 3L

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany AwSV/VwVwS Annex reference 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	 Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1) Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	 R10 <h226;h302;h370>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h302;h370>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Safety Data Sheet

Full text of H- and EUH-phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H300	Fatal if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H370	Causes damage to organs
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product