

N-ETHYL MALEIMIDE FOR SYNTHESIS MSDS


CAS-No.: 128-53-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC-No. : 204-892-4
CAS-No. : 128-53-0
Product code : 03747
Formula : C₆H₇NO₂
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H300
Category 1
Acute toxicity (dermal), H311
Category 3
Skin corrosion/irritation, H314
Category 1B
Skin sensitisation, H317
Category 1

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T+; R28

Xn; R21

C; R34

R43

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS05



GHS06

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H300 - Fatal if swallowed.
H311 - Toxic in contact with skin.
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective clothing, protective gloves, face protection, eye protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : N-ETHYL MALEIMIDE FOR SYNTHESIS

CAS-No. : 128-53-0

EC-No. : 204-892-4

Full text of R- and H-statements: see section 16

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth out with water. Get medical advice/attention. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Harmful in contact with skin.
Symptoms/effects after ingestion	: Fatal if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel. Avoid breathing vapours, mist, gas.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.
-------------------------	--

6.4. Reference to other sections

No additional information available

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|--------------------|---|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Store in a well-ventilated place. Keep cool. Keep container tightly closed. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

- | | |
|--------------------------|--|
| Hand protection | : Protective gloves |
| Eye protection | : Chemical goggles or face shield |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : [In case of inadequate ventilation] wear respiratory protection. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- | | |
|--|----------------------------------|
| Physical state | : Solid |
| Molecular mass | : 125.13 g/mol |
| Colour | : White to pale yellow crystals. |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : 43 - 46 °C |
| Freezing point | : No data available |
| Boiling point | : 210 °C |
| Flash point | : 73 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Dermal: Toxic in contact with skin.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful in contact with skin. Fatal if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2928

UN-No. (IMDG) : 2928

UN-No. (IATA) : 2928

UN-No. (ADN) : 2928

UN-No. (RID) : 2928

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (IATA)	: Toxic solid, corrosive, organic, n.o.s.
Proper Shipping Name (ADN)	: TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (RID)	: TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.
Transport document description (ADR)	: UN 2928 TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II, (D/E)
Transport document description (IMDG)	: UN 2928 TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II
Transport document description (IATA)	: UN 2928 Toxic solid, corrosive, organic, n.o.s., 6.1, II
Transport document description (ADN)	: UN 2928 TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II
Transport document description (RID)	: UN 2928 TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1 (8)
Danger labels (ADR)	: 6.1, 8



IMDG

Transport hazard class(es) (IMDG)	: 6.1 (8)
Danger labels (IMDG)	: 6.1, 8



IATA

Transport hazard class(es) (IATA)	: 6.1 (8)
Hazard labels (IATA)	: 6.1, 8



ADN

Transport hazard class(es) (ADN)	: 6.1 (8)
Danger labels (ADN)	: 6.1, 8



RID

Transport hazard class(es) (RID)	: 6.1 (8)
----------------------------------	-----------

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

Danger labels (RID) : 6.1, 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TC2
Special provisions (ADR) : 274
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P002, IBC06
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T3
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAH, L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9, S19
Hazard identification number (Kemler No.) : 68
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : 2X

- Transport by sea

Special provisions (IMDG) : 274
Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC06
IBC special provisions (IMDG) : B21

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.
MFAG-No	: 154

- Air transport

PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y644
PCA limited quantity max net quantity (IATA)	: 1kg
PCA packing instructions (IATA)	: 668
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 675
CAO max net quantity (IATA)	: 50kg
Special provisions (IATA)	: A5
ERG code (IATA)	: 6C

- Inland waterway transport

Classification code (ADN)	: TC2
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 500 g
Excepted quantities (ADN)	: E4
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 2

- Rail transport

Classification code (RID)	: TC2
Special provisions (RID)	: 274
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P002, IBC06
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE9
Hazard identification number (RID)	: 68

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

N-ETHYL MALEIMIDE FOR SYNTHESIS is not on the REACH Candidate List

N-ETHYL MALEIMIDE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to AwSV; ID No. 927)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

N-ETHYL MALEIMIDE FOR SYNTHESIS

Safety Data Sheet

Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H300	Fatal if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
R21	Harmful in contact with skin
R28	Very toxic if swallowed
R34	Causes burns
R43	May cause sensitisation by skin contact
C	Corrosive
T+	Very toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product