# **NICKEL (POWDER) MSDS**

CAS No: 7440-02-0 MSDS



# MATERIAL SAFETY DATA SHEET (MSDS)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

EC index no : 028-002-00-7 EC no : 231-111-4 CAS No : 7440-02-0 Product code : 04860

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet 1.3.

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

#### **Emergency telephone number**

: +91 7707855700 (9:00am - 6:00 pm) **Emergency number** 

#### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ H372

toxicity - Repeated exposure, Category 1

Carcinogenicity, Category H351

Sensitisation — Skin, H317

category 1

Hazardous to the aquatic H412

environment — Chronic

Hazard, Category 3

Full text of classification categories and H statements : see section 16

09/04/2015 1/10 www.Labogens.com

# Safety Data Sheet

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 T; R48/23 R43 R52/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H372 - Causes damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P314 - Get medical advice/attention if you feel unwell

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name : NICKEL (POWDER)

CAS No : 7440-02-0 EC no : 231-111-4 EC index no : 028-002-00-7

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Suspected of causing cancer.

www.Labogens.com 09/04/2015 2/10

# Safety Data Sheet

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see ... on this label). Wash contaminated

clothing before reuse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up immediately by sweeping or vacuum.

## 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before

use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray.

not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

www.Labogens.com 09/04/2015 3/10

# Safety Data Sheet

### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Greyish black powder.

Odour : odourless.

Odour threshold : No data available

pH : 9 - 11 at 20 °C

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 1455 °C

Freezing point : No data available

Boiling point : 2730 °C

Flash point : No data available

Auto-ignition temperature : 87 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20  $^{\circ}\text{C}$  : No data available

Relative density : No data available

Density : 8.098 g/cm<sup>3</sup>

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

www.Labogens.com 09/04/2015 4/10

# Safety Data Sheet

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

pH: 9 - 11 at 20 °C

Serious eye damage/irritation : Not classified

pH: 9 - 11 at 20 °C

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

www.Labogens.com 09/04/2015 5/10

# Safety Data Sheet

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

NICKEL (POWDER) (7440-02-0)	
Persistence and degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 3089 UN-No. (IMDG) : 3089 UN-No.(IATA) : 3089 UN-No. (ADN) : 3089 UN-No. (RID) : 3089

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (IMDG) : METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (IATA) : METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (ADN) : METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (RID) : METAL POWDER, FLAMMABLE, N.O.S.

Transport document description (ADR) : UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II, (E) Transport document description (IMDG) : UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II : UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II

www.Labogens.com 09/04/2015 6/10

# Safety Data Sheet

Transport document description (ADN) : UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II Transport document description (RID) : UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II

# 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 4.1 Danger labels (ADR) : 4.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 4.1 Danger labels (IMDG) : 4.1



#### IATA

Transport hazard class(es) (IATA) : 4.1 Hazard labels (IATA) : 4.1



# ADN

Transport hazard class(es) (ADN) : 4.1 Danger labels (ADN) : 4.1



#### RID

Transport hazard class(es) (RID) : 4.1 Danger labels (RID) : 4.1



## 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

www.Labogens.com 09/04/2015 7/10

# Safety Data Sheet

Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F3
Special provision (ADR) : 552
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP11

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Packages : V11

(ADR)

Hazard identification number (Kemler No.) : 40

Orange plates

40 3089

: TP33

Tunnel restriction code (ADR) : E EAC code : 4Y

### - Transport by sea

Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG) : F-G EmS-No. (Fire) EmS-No. (Spillage) : S-G : B Stowage category (IMDG) : H1 Stowage and handling (IMDG)

Segregation (IMDG) : SG17, SG25, SG26

MFAG-No : 170

#### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y441
PCA limited quantity max net quantity : 5kg
(IATA)

www.Labogens.com 09/04/2015 8/10

# Safety Data Sheet

PCA packing instructions (IATA) : 445
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 448
CAO max net quantity (IATA) : 50kg
Special provision (IATA) : A3
ERG code (IATA) : 3L

#### - Inland waterway transport

Classification code (ADN) : F3
Special provisions (ADN) : 552
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 1

#### - Rail transport

Classification code (RID) : F3
Special provision (RID) : 552
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP11

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAN
Transport category (RID) : 2
Special provisions for carriage – Packages : W1

(RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 40

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP33

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

NICKEL (POWDER) is not on the REACH Candidate List NICKEL (POWDER) is not on the REACH Annex XIV List

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (KBwS-Beschluss; WGK No 7616)

www.Labogens.com 09/04/2015 9/10

# Safety Data Sheet

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Denmark**

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. **Chemical safety assessment**

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-phrases:

Tall text of It, IT and Eon	p.m.doo.
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects
R40	Limited evidence of a carcinogenic effect
R43	May cause sensitisation by skin contact
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

10/10 09/04/2015 www.Labogens.com