

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE MSDS

CAS No: 7446-08-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS No : 7446-08-4
Product code : 05675
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301
Category 3
Acute toxicity (inhal.), H331
Category 3
Specific target organ H373
toxicity — Repeated
exposure, Category 2
Hazardous to the aquatic H410
environment — Chronic
Hazard, Category 1

Full text of classification categories and H statements : see section 16

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/25

N; R50/53

R33

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06



GHS08



GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H301+H331 - Toxic if swallowed or if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
P311 - Call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name :

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

CAS No :

7446-08-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation :

Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

| | |
|---------------------------------------|--|
| First-aid measures after skin contact | : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Obtain emergency medical attention. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see ... on this label). |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------------------------|-------------------------------|
| Symptoms/injuries | : May cause damage to organs. |
| Symptoms/injuries after inhalation | : Toxic if inhaled. |
| Symptoms/injuries after ingestion | : Toxic if swallowed. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. |
|--------------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Use personal protective equipment as required. |
| Emergency procedures | : Stop release. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| Methods for cleaning up | : Clear up rapidly by scoop or vacuum. |
|-------------------------|--|

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Do not get in eyes, on skin, or on clothing. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|---|
| Storage conditions | : Store in original container. Keep container tightly closed. |
|--------------------|---|

7.3. Specific end use(s)

No additional information available

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

| | |
|--------------------------|--------------------------------------|
| Hand protection | : protective gloves |
| Eye protection | : Chemical goggles or safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|-----------------------------------|
| Physical state | : Solid |
| Colour | : Almost White. |
| Odour | : vapor has a pungent sour smell. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : 315 °C |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 3.95 g/cm ³ |
| Solubility | : Water: 28 % in water @ 200C |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : May cause damage to organs through prolonged or repeated exposure.

Additional information : There are potential chronic health effects to consider

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Toxic if swallowed.

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

SELENIUM DIOXIDE (SUBLIMED) Extra Pure (7446-08-4)

| | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3283

UN-No. (IMDG) : 3283

UN-No.(IATA) : 3283

UN-No.(ADN) : 3283

UN-No. (RID) : 3283

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (IMDG) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (IATA) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (ADN) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (RID) : SELENIUM COMPOUND, SOLID, N.O.S.

Transport document description (ADR) : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

| | |
|---------------------------------------|---|
| Transport document description (IATA) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS |
| Transport document description (ADN) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS |
| Transport document description (RID) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS |

14.3. Transport hazard class(es)


ADR

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADR) | : 6.1 |
| Danger labels (ADR) | : 6.1 |



IMDG

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IMDG) | : 6.1 |
| Danger labels (IMDG) | : 6.1 |



IATA

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IATA) | : 6.1 |
| Hazard labels (IATA) | : 6.1 |



ADN

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADN) | : 6.1 |
| Danger labels (ADN) | : 6.1 |



RID

| | |
|----------------------------------|-------|
| Transport hazard class(es) (RID) | : 6.1 |
| Danger labels (RID) | : 6.1 |



SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

14.4. Packing group

| | |
|----------------------|-------|
| Packing group (ADR) | : III |
| Packing group (IMDG) | : III |
| Packing group (IATA) | : III |
| Packing group (ADN) | : III |
| Packing group (RID) | : III |

14.5. Environmental hazards

| | |
|-------------------------------|--|
| Dangerous for the environment | : Yes |
| Marine pollutant | : Yes |
| Other information | : No supplementary information available |

14.6. Special precautions for user

- Overland transport

| | |
|---|---------------------------|
| Classification code (ADR) | : T5 |
| Special provision (ADR) | : 274, 563 |
| Limited quantities (ADR) | : 5kg |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P002, IBC08, LP02, R001 |
| Special packing provisions (ADR) | : B3 |
| Mixed packing provisions (ADR) | : MP10 |
| Portable tank and bulk container instructions (ADR) | : T1 |
| Portable tank and bulk container special provisions (ADR) | : TP33 |
| Tank code (ADR) | : SGAH, L4BH |
| Tank special provisions (ADR) | : TU15, TE19 |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Bulk (ADR) | : VC1, VC2, AP7 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13, CV28 |
| Special provisions for carriage - Operation (ADR) | : S9 |
| Hazard identification number (Kemler No.) | : 60 |
| Orange plates | : |



| | |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |

- Transport by sea

| | |
|---------------------------------|--------------|
| Special provision (IMDG) | : 223, 274 |
| Limited quantities (IMDG) | : 5 kg |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P002, LP02 |
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDG) | : B3 |
| Tank instructions (IMDG) | : T1 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-A |

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Stowage category (IMDG) : A
MFAG-No : 151

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y645
PCA limited quantity max net quantity (IATA) : 10kg
PCA packing instructions (IATA) : 670
PCA max net quantity (IATA) : 100kg
CAO packing instructions (IATA) : 677
CAO max net quantity (IATA) : 200kg
Special provision (IATA) : A3, A5
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5
Special provisions (ADN) : 274, 563, 802
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : T5
Special provision (RID) : 274, 563
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAH, L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7
Special provisions for carriage – Loading and unloading (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SELENIUM DIOXIDE (SUBLIMED) Extra Pure is not on the REACH Candidate List

SELENIUM DIOXIDE (SUBLIMED) Extra Pure is not on the REACH Annex XIV List

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 2; WGK No 419)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| | |
|---------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| H301 | Toxic if swallowed |
| H331 | Toxic if inhaled |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H410 | Very toxic to aquatic life with long lasting effects |
| R23/25 | Toxic by inhalation and if swallowed |
| R33 | Danger of cumulative effects |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| N | Dangerous for the environment |
| T | Toxic |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product