


## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
 :  
 CAS No : 7783-00-8  
 Product code : 05680  
 Chemical structure :



#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
 1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
 Ludhiana Pb. (141007)  
 +91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301  
 Category 3  
 Acute toxicity (inhal.), H331  
 Category 3  
 Specific target organ H373  
 toxicity — Repeated  
 exposure, Category 2  
 Hazardous to the aquatic H410  
 environment — Chronic  
 Hazard, Category 1

Full text of classification categories and H statements : see section 16

# SELENOUS ACID Extra Pure

## Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/25

N; R50/53

R33

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H301+H331 - Toxic if swallowed or if inhaled  
H373 - May cause damage to organs through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray  
P273 - Avoid release to the environment  
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician  
P311 - Call a POISON CENTER or doctor/physician  
P501 - Dispose of contents/container to ...

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : SELENOUS ACID Extra Pure

CAS No : 7783-00-8

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

# SELENOUS ACID Extra Pure

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see ... on this label).

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : May cause damage to organs.
- Symptoms/injuries after inhalation : Toxic if inhaled.
- Symptoms/injuries after ingestion : Toxic if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.

# SELENOUS ACID Extra Pure

## Safety Data Sheet

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White crystalline.
Odour	: No data available
Odour threshold	: No data available
pH	: 7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 70 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 3.004 g/cm <sup>3</sup>
Solubility	: Water: Soluble in cold water
Log Pow	: No data available
Viscosity, kinematic	: No data available

# SELENOUS ACID Extra Pure

## Safety Data Sheet

Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Oral: Toxic if swallowed. Inhalation: Toxic if inhaled.
Skin corrosion/irritation	: Not classified pH: 7
Serious eye damage/irritation	: Not classified pH: 7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Additional information	: There are potential chronic health effects to consider
Aspiration hazard	: Not classified

# SELENOUS ACID Extra Pure

## Safety Data Sheet

Potential adverse human health effects and symptoms : Toxic if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

##### SELENOUS ACID Extra Pure (7783-00-8)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 3283
UN-No. (IMDG)	: 3283
UN-No.(IATA)	: 3283
UN-No.(ADN)	: 3283
UN-No. (RID)	: 3283

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SELENIUM COMPOUND, SOLID, N.O.S.
Proper Shipping Name (IMDG)	: SELENIUM COMPOUND, SOLID, N.O.S.
Proper Shipping Name (IATA)	: SELENIUM COMPOUND, SOLID, N.O.S.
Proper Shipping Name (ADN)	: SELENIUM COMPOUND, SOLID, N.O.S.
Proper Shipping Name (RID)	: SELENIUM COMPOUND, SOLID, N.O.S.

# SELENOUS ACID Extra Pure

## Safety Data Sheet

Transport document description (ADR)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



#### IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



#### IATA

Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1



#### ADN

Transport hazard class(es) (ADN)	: 6.1
Danger labels (ADN)	: 6.1



#### RID

Transport hazard class(es) (RID)	: 6.1
Danger labels (RID)	: 6.1

# SELENOUS ACID Extra Pure

## Safety Data Sheet



### 14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II


### 14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: T5
Special provision (ADR)	: 274, 563
Limited quantities (ADR)	: 500g
Excepted quantities (ADR)	: E4
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAH, L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9, S19
Hazard identification number (Kemler No.)	: 60
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: 2X

#### - Transport by sea

Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 500 g
Excepted quantities (IMDG)	: E4
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08



# SELENOUS ACID Extra Pure

## Safety Data Sheet

IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: B
MFAG-No	: 151

### - Air transport

PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y644
PCA limited quantity max net quantity (IATA)	: 1kg
PCA packing instructions (IATA)	: 669
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 676
CAO max net quantity (IATA)	: 100kg
Special provision (IATA)	: A3, A5
ERG code (IATA)	: 6L

### - Inland waterway transport

Classification code (ADN)	: T5
Special provisions (ADN)	: 274, 563, 802
Limited quantities (ADN)	: 500 g
Excepted quantities (ADN)	: E4
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 2

### - Rail transport

Classification code (RID)	: T5
Special provision (RID)	: 274, 563
Limited quantities (RID)	: 500g
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE9
Hazard identification number (RID)	: 60

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# SELENOUS ACID Extra Pure

## Safety Data Sheet

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SELENOUS ACID Extra Pure is not on the REACH Candidate List

SELENOUS ACID Extra Pure is not on the REACH Annex XIV List

##### 15.1.2. National regulations

###### Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed
H331	Toxic if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R23/25	Toxic by inhalation and if swallowed
R33	Danger of cumulative effects
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T	Toxic

# SELENOUS ACID Extra Pure

## Safety Data Sheet

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*