

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL EXTRA PURE MSDS

CAS-No.: 7646-69-7 MSDS



## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
:  
EC Index-No. : 001-003-00-X  
EC-No. : 231-587-3  
CAS-No. : 7646-69-7  
Product code : 05893

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Substances and Mixtures H260  
which, in contact with  
water, emit flammable  
gases, Category 1  
Serious eye damage/eye H319  
irritation, Category 2

Full text of H statements : see section 16

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R15

Xi; R36

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H260 - In contact with water releases flammable gases which may ignite spontaneously.  
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P223 - Do not allow contact with water.  
P231+P232 - Handle under inert gas. Protect from moisture.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378 - In case of fire: Use ... to extinguish.  
P422 - Store contents under inert gas

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure  
CAS-No. : 7646-69-7  
EC-No. : 231-587-3  
EC Index-No. : 001-003-00-X

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after eye contact : Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry powder.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : In contact with water releases flammable gases which may ignite spontaneously.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Do not allow contact with water.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : Do not allow contact with water.
- Precautions for safe handling : Protect from moisture. Handle under inert gas.
- Hygiene measures : Wash hands, forearms and face thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a dry place. Protect from moisture.
- Incompatible materials : Do not allow contact with water.

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear fire/flamm resistant/retardant clothing.
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 24 g/mol
Colour	: Light grey powder.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 8000 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: In contact with water releases flammable gases which may ignite spontaneously.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.2 g/cm <sup>3</sup>
Solubility	: Water: Insoluble in water
Log Pow	: No data available

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Do not allow contact with water.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously.

### 10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks. Water, humidity. Air contact. Moisture.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 1427
UN-No. (IMDG)	: 1427
UN-No. (IATA)	: 1427
UN-No. (ADN)	: 1427
UN-No. (RID)	: 1427

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SODIUM HYDRIDE
Proper Shipping Name (IMDG)	: SODIUM HYDRIDE
Proper Shipping Name (IATA)	: Sodium hydride
Proper Shipping Name (ADN)	: SODIUM HYDRIDE
Proper Shipping Name (RID)	: SODIUM HYDRIDE
Transport document description (ADR)	: UN 1427 SODIUM HYDRIDE, 4.3, I, (E)
Transport document description (IMDG)	: UN 1427 SODIUM HYDRIDE, 4.3, I
Transport document description (IATA)	: UN 1427 Sodium hydride, 4.3, I
Transport document description (ADN)	: UN 1427 SODIUM HYDRIDE, 4.3, I
Transport document description (RID)	: UN 1427 SODIUM HYDRIDE, 4.3, I

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 4.3

Danger labels (ADR) : 4.3

:



#### IMDG

Transport hazard class(es) (IMDG) : 4.3

Danger labels (IMDG) : 4.3

:



#### IATA

Transport hazard class(es) (IATA) : 4.3

Hazard labels (IATA) : 4.3

:



#### ADN

Transport hazard class(es) (ADN) : 4.3

Danger labels (ADN) : 4.3

:



#### RID

Transport hazard class(es) (RID) : 4.3

Danger labels (RID) : 4.3

:



### 14.4. Packing group

Packing group (ADR) : I

Packing group (IMDG) : I

Packing group (IATA) : I

Packing group (ADN) : I

Packing group (RID) : I

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: W2
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P403
Mixed packing provisions (ADR)	: MP2
Transport category (ADR)	: 1
Special provisions for carriage - Packages (ADR)	: V1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV23
Special provisions for carriage - Operation (ADR)	: S20
Tunnel restriction code (ADR)	: E
EAC code	: 4W

#### - Transport by sea

Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P403
Special packing provisions (IMDG)	: PP31
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-O
Stowage category (IMDG)	: E
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG35, SG26
MFAG-No	: 138

#### - Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 487
CAO max net quantity (IATA)	: 15kg
ERG code (IATA)	: 4W

#### - Inland waterway transport

Classification code (ADN)	: W2
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Provisions for handling and stowage of the cargo (ADN)	: HA08
Number of blue cones/lights (ADN)	: 0



# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### - Rail transport

Classification code (RID)	: W2
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P403
Mixed packing provisions (RID)	: MP2
Transport category (RID)	: 1
Special provisions for carriage – Packages (RID)	: W1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW23
Hazard identification number (RID)	: X423

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure is not on the REACH Candidate List

SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure is not on the REACH Annex XIV List

#### 15.1.2. National regulations

##### Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

### 15.2. Chemical safety assessment

No additional information available

# SODIUM HYDRIDE SUSPENSION IN PARAFFIN OIL Extra Pure

## Safety Data Sheet

### SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
H260	In contact with water releases flammable gases which may ignite spontaneously.
H319	Causes serious eye irritation.
R15	Contact with water liberates extremely flammable gases
R36	Irritating to eyes
F	Highly flammable
Xi	Irritant

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*