O-TOLIDINE AR MSDS

CAS No: 119-93-7 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC index no : 612-041-00-7
EC no : 204-358-0
CAS No : 119-93-7
Product code : 06335
Formula : C14H16N2

Chemical structure : CH₃

$$H_2N$$
 NH_2 NH_2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302 Category 4

Carcinogenicity, Category H350

1A

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

Full text of classification categories and H statements : see section 16

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.2; R45

C; R34 Xi; R37

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H302 - Harmful if swallowed

H350 - May cause cancer

H411 - Toxic to aquatic life with long lasting effects

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

 Name
 : o-TOLIDINE AR

 CAS No
 : 119-93-7

 EC no
 : 204-358-0

 EC index no
 : 612-041-00-7

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER

or doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. May cause cancer.

Symptoms/injuries after inhalation : May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Obtain special instructions before

use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-

ventilated area.

Hygiene measures : Wash ... thoroughly after handling. Wash contaminated clothing before reuse.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place.

Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 212.29 g/mol

Colour : White to light brown.

Odour : amine like.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 128 - 131

Freezing point : No data available

Boiling point : 200 °C

Flash point : 100 °C

Auto-ignition temperature : 4800 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.2 mbar at 200C

Relative vapour density at 20 °C : 3.7

Relative density : No data available

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Density : 1.004 g/cm³

Solubility : Water: Slightly soluble in water

Log Pow : 2.34

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.015 - 0.075 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

o-TOLI	DINE AR (119-93-7)
L D	

Log Pow 2.34

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3077

 UN-No. (IMDG)
 : 3077

 UN-No.(IATA)
 : 3077

 UN-No.(ADN)
 : 3077

 UN-No. (RID)
 : 3077

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

Transport document description (ADR) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

MARINE POLLUTANT

Transport document description (IATA)

: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

Transport document description (ADN)

: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

Transport document description (RID)

: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



www.Labogens.com 09/04/2015 7/11

Safety Data Sheet

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : M7

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3 Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V13

(ADR)

Special provisions for carriage - Bulk : VC1, VC2

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3077

Tunnel restriction code (ADR) : E EAC code : 2Z

- Transport by sea

Special provision (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02
Packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23
MFAG-No : 171

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity : 30kgG

(IATA)

PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provision (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T* B**
Equipment required (ADN) : PP, A
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M7

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages : W13

(RID)

Special provisions for carriage – Bulk : VC1, VC2

(RID)

Special provisions for carriage – Loading : CW13, CW31

and unloading (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

o-TOLIDINE AR is not on the REACH Candidate List o-TOLIDINE AR is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1A	Carcinogenicity, Category 1A
H302	Harmful if swallowed
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects
R34	Causes burns
R37	Irritating to respiratory system
R45	May cause cancer
С	Corrosive
Xi	Irritant

10/11 09/04/2015 www.Labogens.com

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11