

# PAN 1% W/V INDICATOR SOLUTION IN ETHANOL MSDS



CAS-No.: MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
:  
Product code : 5101D

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Directive 67/548/EEC or 1999/45/EC

No labelling applicable

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name             | Product identifier   | %  | Classification according to Directive 67/548/EEC | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------|--|----|--|---|
| Ethanol          | (CAS-No.) 64-17-5<br>(EC-No.) 200-578-6<br>(EC Index-No.) 603-002-00-5 | 99 | C; R35<br>R10                                    | Flam. Liq. 3, H226<br>Skin Corr. 1A, H314                       |
| PAN INDICATOR AR | (CAS-No.) 85-85-8  | 1  | Xi; R36/37/38                                    | Eye Irrit. 2, H319<br>Skin Irrit. 2, H315<br>STOT SE 3, H335    |

Full text of R- and H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapour.
- Explosion hazard : Heating may cause a fire or explosion.

### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Approved supplied air respirator

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Orange coloured solution.

Odour : No data available

Odour threshold : No data available

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

---

|  |                     |
|--|---------------------|
| pH   | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point                              | : No data available |
| Freezing point                             | : No data available |
| Boiling point                              | : No data available |
| Flash point                                | : No data available |
| Auto-ignition temperature                  | : No data available |
| Decomposition temperature                  | : No data available |
| Flammability (solid, gas)                  | : No data available |
| Vapour pressure                            | : No data available |
| Relative vapour density at 20 °C           | : No data available |
| Relative density                           | : No data available |
| Solubility                                 | : No data available |
| Log Pow                                    | : No data available |
| Viscosity, kinematic                       | : No data available |
| Viscosity, dynamic                         | : No data available |
| Explosive properties                       | : No data available |
| Oxidising properties                       | : No data available |
| Explosive limits                           | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Heat. High temperature. Open flame. Overheating.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

|                           |                  |
|---------------------------|------------------|
| Acute toxicity            | : Not classified |
| Irritation                | : Not classified |
| Corrosivity               | : Not classified |
| Sensitisation             | : Not classified |
| Repeated dose toxicity    | : Not classified |
| Carcinogenicity           | : Not classified |
| Mutagenicity              | : Not classified |
| Toxicity for reproduction | : Not classified |

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

No additional information available

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

|               |        |
|---------------|--------|
| UN-No. (ADR)  | : 1170 |
| UN-No. (IMDG) | : 1170 |

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

UN-No. (IATA) : 1170  
UN-No. (ADN) : 1170  
UN-No. (RID) : 1170

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
Proper Shipping Name (IATA) : Ethanol solution  
Proper Shipping Name (ADN) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
Proper Shipping Name (RID) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
Transport document description (ADR) : UN 1170 ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)  
Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II  
Transport document description (IATA) : UN 1170 Ethanol solution, 3, II  
Transport document description (ADN) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II  
Transport document description (RID) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3  
Danger labels (ADR) : 3



#### IMDG

Transport hazard class(es) (IMDG) : 3  
Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3  
Hazard labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3  
Danger labels (ADN) : 3



# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

### RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 144, 601

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions (ADR) : TP1

Tank code (ADR) : LGBF


Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :



Tunnel restriction code (ADR) : D/E

EAC code : •2YE

#### - Transport by sea

Special provisions (IMDG) : 144

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T4

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

|                                    |   |
|------------------------------------|---|
| Tank special provisions (IMDG)     | : TP1   |
| EmS-No. (Fire)                     | : F-E   |
| EmS-No. (Spillage)                 | : S-D   |
| Stowage category (IMDG)            | : A   |
| Properties and observations (IMDG) | : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19% Miscible with water. |

### - Air transport

|  |                 |
|--|-----------------|
| PCA Excepted quantities (IATA)               | : E2            |
| PCA Limited quantities (IATA)                | : Y341          |
| PCA limited quantity max net quantity (IATA) | : 1L            |
| PCA packing instructions (IATA)              | : 353           |
| PCA max net quantity (IATA)                  | : 5L            |
| CAO packing instructions (IATA)              | : 364           |
| CAO max net quantity (IATA)                  | : 60L           |
| Special provisions (IATA)                    | : A3, A58, A180 |
| ERG code (IATA)                              | : 3L            |

### - Inland waterway transport

|                                   |             |
|-----------------------------------|-------------|
| Classification code (ADN)         | : F1        |
| Special provisions (ADN)          | : 144, 601  |
| Limited quantities (ADN)          | : 1 L       |
| Excepted quantities (ADN)         | : E2        |
| Carriage permitted (ADN)          | : T         |
| Equipment required (ADN)          | : PP, EX, A |
| Ventilation (ADN)                 | : VE01      |
| Number of blue cones/lights (ADN) | : 1         |

### - Rail transport

|   |                     |
|---|---------------------|
| Classification code (RID)                                 | : F1                |
| Special provisions (RID)                                  | : 144, 601          |
| Limited quantities (RID)                                  | : 1L                |
| Excepted quantities (RID)                                 | : E2                |
| Packing instructions (RID)                                | : P001, IBC02, R001 |
| Mixed packing provisions (RID)                            | : MP19              |
| Portable tank and bulk container instructions (RID)       | : T4                |
| Portable tank and bulk container special provisions (RID) | : TP1               |
| Tank codes for RID tanks (RID)                            | : LGBF              |
| Transport category (RID)                                  | : 2                 |
| Colis express (express parcels) (RID)                     | : CE7               |
| Hazard identification number (RID)                        | : 33                |

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances



# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Ethanol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Ethanol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Ethanol is listed

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-statements:

|               |  |
|---------------|--|
| Eye Irrit. 2  | Serious eye damage/eye irritation, Category 2  |
| Flam. Liq. 3  | Flammable liquids, Category 3  |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A   |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2  |
| STOT SE 3     | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H226          | Flammable liquid and vapour.   |
| H314          | Causes severe skin burns and eye damage.   |
| H315          | Causes skin irritation.  |
| H319          | Causes serious eye irritation.   |
| H335          | May cause respiratory irritation.  |
| R10           | Flammable  |
| R35           | Causes severe burns  |
| R36/37/38     | Irritating to eyes, respiratory system and skin  |
| C             | Corrosive  |
| Xi            | Irritant   |

# PAN 1% w/v INDICATOR SOLUTION IN ETHANOL

## Safety Data Sheet

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*