

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE MSDS



CAS-No.: 26970-82-1 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
:  
EC-No. : 233-267-9  
CAS-No. : 26970-82-1  
Product code : 5997A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 1 H300  
Acute toxicity (inhal.), Category 3 H331  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T+; R28  
T; R23  
R43  
N; R51/53  
R31

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H300 - Fatal if swallowed.  
H317 - May cause an allergic skin reaction.  
H331 - Toxic if inhaled.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P311 - Call a POISON CENTER/doctor

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : SODIUM SELENITE PENTAHYDRATE EXTRA PURE  
CAS-No. : 26970-82-1  
EC-No. : 233-267-9

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : Toxic if inhaled.
- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after ingestion : Fatal if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Avoid contact with skin, eyes and clothing.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clean contaminated surfaces with an excess of water.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 263 g/mol
Colour	: White to almost white.
Odour	: No data available
Odour threshold	: No data available
pH	: 9.8 - 10.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

Oxidising properties : No data available

Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Highly reactive material. Contact with acids liberates toxic gas.

### 10.4. Conditions to avoid

Air contact. Direct sunlight. Heat. Moisture.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Not classified  
pH: 9.8 - 10.8

Serious eye damage/irritation : Not classified  
pH: 9.8 - 10.8

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Fatal if swallowed.

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

##### SODIUM SELENITE PENTAHYDRATE EXTRA PURE (26970-82-1)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials : Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 2630
UN-No. (IMDG)	: 2630
UN-No. (IATA)	: 2630
UN-No. (ADN)	: 2630
UN-No. (RID)	: 2630

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SELENATES
Proper Shipping Name (IMDG)	: SELENATES
Proper Shipping Name (IATA)	: Selenites
Proper Shipping Name (ADN)	: SELENATES
Proper Shipping Name (RID)	: SELENATES
Transport document description (ADR)	: UN 2630 SELENATES, 6.1, I, (C/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 2630 SELENATES, 6.1, I, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 2630 Selenites, 6.1, I, ENVIRONMENTALLY HAZARDOUS

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

Transport document description (ADN) : UN 2630 SELENATES, 6.1, I, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 2630 SELENATES, 6.1, I, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 6.1

Danger labels (ADR) : 6.1



#### IMDG

Transport hazard class(es) (IMDG) : 6.1

Danger labels (IMDG) : 6.1



#### IATA

Transport hazard class(es) (IATA) : 6.1

Hazard labels (IATA) : 6.1



#### ADN

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1



#### RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



### 14.4. Packing group

Packing group (ADR) : I

Packing group (IMDG) : I

Packing group (IATA) : I

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet


Packing group (ADN) : I  
Packing group (RID) : I

### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : T5  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 0  
Excepted quantities (ADR) : E5  
Packing instructions (ADR) : P002, IBC07  
Mixed packing provisions (ADR) : MP18  
Portable tank and bulk container instructions (ADR) : T6  
Portable tank and bulk container special provisions (ADR) : TP33  
Tank code (ADR) : S10AH, L10CH  
Tank special provisions (ADR) : TU14, TU15, TE19, TE21  
Vehicle for tank carriage : AT  
Transport category (ADR) : 1  
Special provisions for carriage - Packages (ADR) : V10  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV1, CV13, CV28  
Special provisions for carriage - Operation (ADR) : S9, S14  
Hazard identification number (Kemler No.) : 66  
Orange plates :   
Tunnel restriction code (ADR) : C/E  
EAC code : 2X

#### - Transport by sea

Special provisions (IMDG) : 274  
Packing instructions (IMDG) : P002  
IBC packing instructions (IMDG) : IBC07  
IBC special provisions (IMDG) : B1  
Tank instructions (IMDG) : T6  
Tank special provisions (IMDG) : TP33  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-A  
Stowage category (IMDG) : E  
Properties and observations (IMDG) : A wide range of toxic solids. Generally soluble in water. Highly toxic if swallowed, by skin contact or by dust inhalation.

#### - Air transport

PCA Excepted quantities (IATA) : E5  
PCA Limited quantities (IATA) : Forbidden



# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 666
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 673
CAO max net quantity (IATA)	: 50kg
ERG code (IATA)	: 6L

### - Inland waterway transport

Classification code (ADN)	: T5
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E5
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 2

### - Rail transport

Classification code (RID)	: T5
Special provisions (RID)	: 274
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E5
Packing instructions (RID)	: P002, IBC07
Mixed packing provisions (RID)	: MP18
Portable tank and bulk container instructions (RID)	: T6
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: S10AH, L10CH
Special provisions for RID tanks (RID)	: TU14, TU15, TU38, TE21, TE22
Transport category (RID)	: 1
Special provisions for carriage – Packages (RID)	: W10
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Hazard identification number (RID)	: 66

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM SELENITE PENTAHYDRATE EXTRA PURE is not on the REACH Candidate List

SODIUM SELENITE PENTAHYDRATE EXTRA PURE is not on the REACH Annex XIV List

#### 15.1.2. National regulations

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

## Safety Data Sheet

### Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV; ID No. 184)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.
R23	Toxic by inhalation
R28	Very toxic if swallowed
R31	Contact with acids liberates toxic gas
R43	May cause sensitisation by skin contact
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T	Toxic
T+	Very toxic

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

# SODIUM SELENITE PENTAHYDRATE EXTRA PURE

Safety Data Sheet

---